Tautomerism in Schiff bases. The cases of 2-hydroxy-1-naphthaldehyde and 1-hydroxy-2-naphthaldehyde investigated in solution and the solid state

R. Fernando Martínez, Martín Ávalos, Reyes Babiano, Pedro Cintas, José L. Jiménez, Mark E. Light and Juan C. Palacios: **Tautomerism in Schiff bases. The cases of 2-hydroxy-1-naphthaldehyde and 1-hydroxy-2-naphthaldehyde investigated in solution and the solid state**. Organic & Biomolecular Chemistry. Septiembre de 2011, 9, 8268–8275.

Fuente de la publicación:

- Tautomerism in Schiff bases. The cases of 2-hydroxy-1-naphthaldehyde and 1-hydroxy-2-naphthaldehyde investigated in solution and the solid state [1]

Noticias relacionadas:

- LUSITANIA permite estudiar la tautomería imina-enamina mediante métodos espectroscópicos [2]

URL de origem:https://www.cenits.es/pt-pt/enlaces/publicaciones/tautomerism-schiff-bases-cases-2-hydroxy-1-naphthaldehyde-and-1-hydroxy-2-naph

Ligações
[1] http://pubs.rsc.org/en/content/articlelanding/2011/ob/c1ob06073b [2] https://www.cenits.es/noticias/lusitania-permite-estudiar-tautomeria-imina-enamina-mediante-metodos-espectroscopicos